



OHMTEK

AIT Solar Flood Light

AITSPFL05



**SOLAR
POWERED**



WATERPROOF




**AUTOMATIC
LIGHTING**



OHMTEK

Main Features:

- Equipped with 2000 Cycles LifePO4 Battery brand
- Equipped with 2.4G remote with 360° signal transmission, more sensitivity and longer distance
- Equipped with microwave sensor. Multi-lighting functions optional
- Equipped with the high lighting efficiency LED chip up to 170lm/w
- Equipped with a separated adapter cable for more easier connection
- Equipped with stainless steel ON/OFF button
- Equipped with use-friendly installation method





OHMTEK



Environmental
Protection



Remote
setting



2000 Cycles
LifePO4 Battery



Electricity Bills
Free



High Luminous
efficiency



30%+100%

Motion
Sensor
Detection



ON - OFF

Dusk to Dawn
Auto ON/OFF



IP 65

IP65 Waterproof

Model

AITSPFL05

Power

30w

Luminous flux:

170lm/w

Fixture dimension:

350x265x45mm.

Solar panel:

12w 10v

Lithium battery:

6.4v 38Wh

Fixture color:

Grey / Black / White

Color temperature:

3000k / 4000k / 5000k

Housing material:

Aluminum die casting

Remote control:

2.4G radio remote

Charging time:

4.5 hours

Discharging time:

>15 hours

Working temp.:

-15C - +70°C

Connect cable:

4.5 meters

IP rate:

IP65

Certificates:

CE ROHS IP IK EMC



Application



Security fence
lighting



Emergency lighting



Pathway lighting



Construction areas



Warehouse lighting



Bus stops



OHMTEK GROUP

Website:
www.Ohmtek.net

Email:
subra@homtek.net

